

C-STUDIO 2010AC C-STUDIO 2510AC

- > Colour Multifunction Printer
- > Up to 25 PPM
- > Small Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready





CONNECT, INTEGRATE, SIMPLIFY, AND MORE.

Technology for every workplace, delivering advanced functionality, ease of use and peace of mind. Every business is unique. That's why Toshiba offers the

latest customisable solutions that can be tailored to meet your needs. Toshiba solutions help you simplify complex tasks while managing diverse information efficiently and safely to maximise your productivity.

Toshiba's latest series delivers on our promise of Together Information - our commitment to collaborate with clients to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you to meet your green objectives.

- > 20 & 25 PPM
- > Affordable, high-resolution colour
- > High-volume black & white and colour
- > Advanced e-BRIDGE Next technology
- > Fast dual-core processor

Colour commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Add colour to that and you have even more ways to make your documents impactful.

- > Up to 600 dpi x 1,200 dpi (PS3)
- 256 gradations provide ultra-smooth transitions in photos and illustrations
- Auto-calibration ensures consistency of colour across small and large print jobs

Customisable user interface streamlines complicated multi-step processes into automated one-touch functions.

A fully-customisable user interface with an open platform enables departments to tailor settings and automate workflow including the integration of third-party solutions resulting in simple operation and improved efficiency. Let Toshiba place productivity and performance at your fingertips.

LDD7

LTD

- Customise and automate workflow specifically around your business processes
- Boost productivity by reducing manual and paper intensive processes in the office
- Personalise the user interface by department or individually to deliver the utmost efficiency
- Cost savings and greater efficiency through improved workflow and productivity

Simple, smart and stylish.

A larger 10.1" tablet-style touch screen with an embedded web browser is easy to use, and customisable to meet your needs, enhancing the sleek and modern look of the complete series.

COMPACT SIZE, ALL-NEW LOOK, AND A POWERFUL PUNCH.

For small and medium businesses and workgroups that demand colour along with a small footprint, Toshiba has answered the call. The e-STUDIO2510AC Series is packed with industry-leading technologies and innovations designed to help workgroups connect, integrate and simplify.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around a job that's held-up for a specific paper size, media type, or, even colour toner.

Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Auto Skew Correction ensures your scanned documents using the document feeder are reproduced accurately.

Heavy-Media Duplex Support can also handle 60gsm to 163gsm index for heavy duty duplexing.

Print-from USB lets you print PDF and JPG files straight from your USB drive and the MFP will scale document to fit the available paper size if necessary.

e-BRIDGE Plus for USB Storage is great for capturing a file quickly when you're on the go.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Scan Preview allows you to review your scanned documents digitally, even rotate and change pages prior to sending to file or email.

Fax Preview saves valuable resources by letting you view received faxes prior to printing them.

Service Module Design significantly reduces the cost and time spent servicing the MFP.

e-Suite allows you to track and control copy, fax and scan jobs, and perform secure print release at Toshiba MFP.

Multi-Station Print Enabler allows you to retrieve your print job from a series of networked MFPs via simple authentication, now with support of up to 50 e-BRIDGE MFPs.





CONVENIENCE AND SECURITY.

Small workgroups looking for quality color will appreciate the fact that the e-STUDIO2510AC Series is easily integrated, customisable and solutions ready, with Toshiba's Open Platform.

Convenient e-filing lets users store jobs that are frequently printed and access finishing features.

AirPrint[®] and Mopria[®] support address the printing needs of mobile device users, while Wi-Fi direct simplifies access to the MFP. Toshiba's exclusive e-BRIDGE Print & Capture application enables users additional printing features and the ability to scan documents back to their tablets or smart phones.

Toshiba's V4 Driver with Toshiba Print Experience serves PCL users, a universal print driver and XPS support addresses Windows[®] environments while PS3 support provides connectivity for Macintosh[®] users and beyond.

A variety of time-saving, function-adding plug-ins that enable productivity right in the driver. For instance:

- e-BRIDGE Job Point—quickly split up large jobs with up to 10 Toshiba MFPs
- e-BRIDGE Job Replicator—streamline the creation of multi-part forms and documents
- e-BRIDGE Job Separator—perform batch printing easily using any Windows[®] app
- e-BRIDGE Job Build—conveniently print different document types all together

With Google Cloud Print[™] support, you can securely print over the web from anywhere, anytime—including your phone—to an e-STUDIO2510AC Series MFP. e-BRIDGE Plus for Google Drive[™], e-BRIDGE Plus for OneDrive[®], e-BRIDGE Plus for DropBox[®], and e-BRIDGE Plus for box[™] address all of the popular cloud-based mobility apps.*

Toshiba's new e-BRIDGE Plus apps, including e-BRIDGE Plus for OneDrive® for Business, e-BRIDGE Plus for SharePoint® Online and e-BRIDGE Plus for Exchange Online let users scan to and print from Microsoft's cloud-based services directly at the front panel of the e-STUDIO MFP or their mobile device. This includes Word[™], Excel® and PowerPoint® (docx, xlsx, pptx) documents stored in OneDrive® accounts or SharePoint® locations. When combined with our embedded OCR feature, documents can be scanned into popular Office[™] formats as well.*

> *Your network settings and/or access control may vary depending on network environment when installing e-BRIDGE Plus applications. For details, please consult Toshiba's sales person.

Industry-Leading Security

Along with all of the new and innovative Toshiba technologies, we regard the security of your business a top priority.

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- IPsec is available to securely encrypt data sent to and from the MFP

Environmental Protection

Innovation that is truly innovative makes certain that our environment is part of the equation, which is precisely what we do here at Toshiba.

- > ENERGY STAR® V2.0 certified
- > RoHS compliance, the use of recycled plastic Super Sleep (0.6W) Mode work to help the environment
- EPEAT Gold Registered for greener electronics, designed to help purchasers choose products that reduce environmental impact
- The new e-STUDIO models' Typical [weekly] Electrical Consumption or TEC value is exceptionally low, equating to an environmentally friendly product with a low operating cost too
- e-BRIDGE Plus for Green Information provides users with a graphical display at the MFP of their environmental contribution to promote more effective use



FEATURES, BENEFITS, AND THE WOW FACTOR.

1 Document Feeder Options

MR-3031-B Reversing Automatic Document Feeder (RADF) KA-5005PC Platen Cover

2 Accessory Tray & Options

GR-1330 Accessory Tray GR-1340 10-Key Numeric Keypad

3 Finishing Options

| MJ-1042-B | 50-Sheet Inner Finisher |
|-----------|---------------------------------|
| MJ-1110-B | 50-Sheet Saddle-Stitch Finisher |
| MJ-5014 | Job Separator |

4 Additional Paper Options

| KD-1058B | Paper Feed Pedestal |
|-----------|-----------------------------------|
| MY-1048-B | Additional Drawer Module for PFP |
| KD-1059A4 | 2,000-Sheet Large Capacity Feeder |
| MY-1049-B | Envelope Cassette |
| MY-1047-B | Paper Feed Unit |



Additional Option Highlights

- e-Suite Print Management & Reporting Module
- > Multi-Station Print Enabler
- > Embedded OCR Enabler
- > Wireless LAN/Bluetooth
- > IPsec Security Enabler
- > Single & Dual-Line Facsimile
- > Card Reader

We work out of the box to find innovative ways to make your business run more efficiently. In fact, we've found quite a few.

Touch and Swipe with Ease

An easy to use, tablet style 10.1" colour touch screen panel works intuitively, helping you find instructions, functions, and commands with the swipe of the finger.

e-Suite

Toshiba e-Suite provides a user friendly embedded user interface for secure print release, copy, scan, fax and card registration to all individual users. The users are able to view their individual quota balance of black/white and colour prints so as to help them carry out their print activity more effectively.

Its powerful device management feature enables the administrator to discover Toshiba MFPs in the network and configuring/adding to managed device list at ease.

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any convenient MFP by simply swiping their card and authenticating at that device.

A Clever Inside Pocket

We've put the Authentication Card Reader inside the machine for a cleaner look.

Advanced e-BRIDGE Next Technology

Built on Linux[®], this latest e-BRIDGE Next architecture features an Embedded Web Browser, a dual-core processor, up to 4GB RAM and a 320GB SED enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

C:STUDIO 2010AC/2510AC

Main Specifications

| Copy System | Indirect Electrostatic Photographic Method/OPC/LED Printing/ |
|----------------------|--|
| | Heat Roller Fusing |
| Display | 10.1" Colour WSVGA Touch Screen Tilting Display |
| Copy Speed | 20/25 PPM (A4) |
| First Copy Out | Colour: 9.5/9.5 seconds |
| | Monochrome: 7.1/7.1 seconds |
| Warm-Up Time | Approx. 21 Seconds |
| Copy Resolution | 600 x 600 dpi |
| Stack Feed Bypass | 100 x 148 mm to A3, Envelope |
| Multiple Copying | Up to 999 Copies |
| Paper Capacity | Standard 350 Sheets/Max. 2,900 Sheets |
| Original Feed | Optional 100-Sheet RADF |
| Scan Speed & Weights | RADF Scan: Up to 73 IPM (Monochrome or Colour), |
| | Simplex: 35-157 gsm, Duplex: 50-157 gsm |
| Max. Original Size | A3 |
| Paper Feed Sizes | Drawer 1: 250 Sheets-A5-R to A3 |
| | Stack Feed Bypass: 100 Sheets- 100 x 148 mm to A3 |
| | Opt. Paper Feed Unit: 550 Sheets-A5-R to A3 |
| | Opt. 550-Sheet Paper Feed Pedestal-A5-R to A3 |
| | Opt. 550-Sheet Drawer for PFP-A5-R to A3 |
| | Opt. Envelope Cassette for PFP-Approx. 60 Envelopes/550 Sheets-16K-R to A4-R |
| | Opt. 2,000-Sheet Tandem LCF (Pedestal Type)-A4 Only |
| Paper Weights | Standard: 250 Sheets- 60-163 gsm |
| | Stack Feed Bypass: 100 Sheets-60 -209 gsm |
| | Opt. Paper Feed Unit: 550 Sheets- 60-163 gsm |
| | Opt. 550-Sheet Paper Feed Pedestal: 60-163 gsm |
| | Opt. 550-Sheet Drawer for PFP: 60-163 gsm |
| | Opt. Envelope Cassette for PFP: 60- 163 gsm |
| | Opt. 2,000-Sheet Tandem LCF (Pedestal Type): 64-105 gsm |
| Duplex | Standard Automatic Duplex Unit: 60-163 gsm |
| Reproduction Ratio | 25% to 400% |
| Max Duty Cycle | Max. 67.2K Month (e-STUDIO 2010AC) |
| | Max. 84K Month (e-STUDIO 2510AC) |
| Weight | Approx. 57 kg |
| Approx. Dimensions | 575 mm (W) x 586 mm(D) x 787 mm (H) |
| CMYK Toner Yield | CMY: 33.6K, BK: 38.4K @ 5% |
| Power Source | 220-240 Volts, 50/60 Hz, 12 Amps |
| Power Consumption | Maximum 2.0kW (220-240V) |
| CPU | Intel Atom [™] 1.33GHz (Dual-Core) |
| Memory | Std 2GB, Max. 4GB |
| Hard Disk Drive | 320GB Self-Encrypting Drive |

e-BRIDGE Next Print Specifications

| PDL | PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG |
|-------------------|--|
| Print Speed | 20/25 Pages Per Minute (A4) |
| Print Resolution | 600 x 600 dpi (5 bit), 600 x 1,200 dpi (1 bit) PS3 Only |
| Operating Systems | Windows Server [®] 2008 R2, R2 SP1, 2008/SP2, Windows [®] 7,8.1,10, Windows Server [®] 2012/R2, Windows Server [®] 2016, Macintosh [®] (MacOS X 10.7.4, 10.8, |
| | 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux® |
| Network Protocols | TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk for Macintosh® Environments |
| Interface | RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed), Optional 802.11b/g/n, Wireless LAN, Optional Bluetooth |
| Wireless Device | AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android |
| Willelede Devide | (Available via Apple [®] App Store or Google Play) |
| Device Management | TopAccess, e-Suite |
| Account Control | Up to 10,000 users or 1,000 Departments Supports User Authentication |
| | (on Device), Login Name/Password (via Windows® domain) or Login Name/ |
| | Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function |
| Security Features | User Authentication, On-Board Data Scramble Function, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEV1, IKEV2), Security Mode Change, CC Certified (ISO/ IEC15408)*, IEEEB02.1X (Wired/Wireless), Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, |
| | |



YES Movell





Role Based Access Control, Secure PDF, Digital Signature for firmware update, Integrity Check function, Image Log, Card Authentication, NFC Authentication

Environmental Stds. Certification Authentication *Conformance with HCD-PPv1.0 in High security mode. ENERGY STAR® (V2.0), Blue Angel Mark (RAL UZ-205, MFD) WHQL (Windows® 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®, SAP, AirPrint® and Mopria®

Scan Specifications

| RADF Scan: Up to 73 IPM (Monochrome or Colour) |
|--|
| Standard: Full Colour, Auto Colour, Monochrome, Grayscale |
| 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi |
| Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, Searchable |
| PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX (Opt.), PPTX (Opt.) |
| Colour/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, |
| Slim PDF, Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), |
| XLSX (Opt.), PPTX (Opt.) |
| Colour/Grayscale: JPEG (High, Middle, Low) |
| |

Facsimile Specifications

| Compatibility | Super G3 |
|---------------------|--|
| Data Compression | MH/MR/MMR/JBIG |
| Transmission Speed | Approx. 3 Seconds Per Page |
| Fax Modem Speed | Up to 33.6 Kbps |
| Memory Transmission | 100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations /Job |
| Scan Speed | 0.7 Seconds Per Page, Maximum 73 IPM |

e-Filing Specifications

| Operation Method | Colour Touch Screen Control Panel or Client PC |
|-------------------|--|
| Number of Boxes | 1 Public Box, 200 Private User Boxes |
| Capacity of Boxes | 100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document |

Accessories (Options)

| Platen & Document Feeder Options | | Unicode Font Enabler | GS-1007 |
|----------------------------------|-------------|-----------------------------------|---------|
| RADF | MR-3031-B | Embedded OCR Enabler | |
| Platen Cover | KA-5005PC | Single License | GS-1080 |
| | | Five Licenses | GS-1085 |
| Additional Paper Options | | Multi-Station Print Enabler | |
| Paper Feed Pedestal | KD-1058-B | Single License | GS-1090 |
| Paper Feed Unit | MY-1047-B | Five Licenses | GS-1095 |
| Drawer Module | MY-1048-B | | |
| Envelope Cassette Option | MY-1049-B | USB Hub Option | GR-1310 |
| Large Capacity Feeder | KD-1059A4-B | SharePoint [®] Connector | GB-1440 |
| Large Capacity Feeder | ND-1009A4-D | Exchange Connector | GB-1450 |
| Finishing Options | | Google Docs™ Connector | GB-1540 |
| Inner Finisher | MJ-1042-B | Data OverWrite Enabler | GP-1070 |
| Saddle-Stitch Finisher | MJ-1110-B | | |
| Hole Punch Unit (For MJ1042) | MJ-6011 | Miscellaneous Options | |
| Hole Punch Unit (For MJ1110) | MJ-6105 | Stand | MH-5005 |
| Bridge Kit | KN-5005 | Accessible Arm | KK-2560 |
| Job Separator | MJ-5014 | Work Tray | KK-5005 |
| JOD Separator | 1010-0014 | Manual Pocket | KK-5008 |
| Connectivity/Security Options | | Harness Kit for Coin Controller | GQ-1280 |
| FAX Unit/2nd Line for FAX Unit | GR-1370EU | | |
| Wireless LAN/Bluetooth | GN-4020 | | |
| Accessory Tray | GR-1330 | | |
| Panel 10-Key Option | GR-1340 | | |
| Card Reader Holder | GR-1320 | | |
| | | | |
| 4GB Memory Option | GC-1410 | | |
| Hardcopy Security Printing | GP-1190A | | |
| Meta Scan Enabler | GS-1010 | | |
| IPsec Enabler | GP-1080 | | |
| | | | |

Distributed by

Toshiba TEC Singapore Pte Ltd

2 Ang Mo Kio Street 62 Singapore 569138 Tel: (65) 6481 9488 Fax: (65) 6481 2385

Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation. Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 g/m2 if not otherwise mentioned. Copyright @2018 TOSHIBA TEC. R180511V1300-TTEC